
100
108
110
MTSO
110'
Gateway
116
120
BLS
102
104
111
106
PSTN
Internet
115
122
119
112
Phone Server
MAS
114

Figure 1

Figure 2A

Enter Information Using a Browser







Figure 2B



Figure 2C





Figure 3


300
Enter Personalization Information
310
Make Auto Entry Option Selection
320
330
Auto entry enabled
No
360
Continue Transaction
340
Store Information in Storage
Continue Transaction
350

Figure 4

410

Login ID	Device #	URL/Trans						
A1AA	123456	B2C Login Page	Auto Entry1	Password	Acct #			
		B2C Credit Page	Auto Entry2	Credit Card	Exp. Date	Address1	Address2	
		Yahoo	Auto Entry3	Password	UserID			
B1BB	797979	B2C Login Page	Auto Entry4	Password	Acct #			
		B2C Credit Page	Auto Entry5	Credit Card	Exp. Date	Address1	Address2	
		Yahoo	Auto Entry6	Password	UserID			
⋮	⋮	⋮	⋮	⋮	⋮	⋮	⋮	
Z1ZZ	999999	B2C Login Page	Auto EntryN-2	Password	Acct #			
		B2C Credit Page	Auto EntryN-1	Credit Card	Exp. Date	Address1	Address2	
		Yahoo	Auto EntryN	Password	UserID			

Figure 5


112
502
Device Interface
Memory
506
508
Server Interface
to from communications device
to from BLS
504
Control Logic
114
Storage

Figure 6


600
Look up Auto Entry Indicator based on a user indicator and type of transaction
620
620
Check type of auto entry Indicator enabled
Auto-fill
Auto Submit
630
Retrieve Information
650
Retrieve Information
640
Send Information to device
670
User fills in Necessary information
660
Send information to Business Logic Server